



USING THE FLANGE PLATE KIT

The standard package includes:

- ◆ 4 flange plates numbered 1, 2, 3, 4.
- ◆ 5 sets of studs marked I, II, III, IV, V or engraved rings 1 to 5.
- ◆ Two mounting board with hooks, nuts, bolts and trays.
- ◆ Application chart (laminated)

NEW EASY APPLICATION – HOW TO SET UP THE PLATE CORRECTLY

- 1 Look up the vehicle you want to balance on the chart eg. Ford.
- 2 Next choose the correct model eg. Falcon. You can immediately see that the Falcon has five studs with a 114,3 mm **PCD (Pitch Circle Diameter)**.
- 3 In the second column is a number. Ford Falcon = Use Flange Plate Number 3.
- 4 You will find this number engraved on the Flange Plate. There are only four to choose from.
- 5 In the third column you will see a letter. The letter is either I,II,III, IV or V. In the case of the Ford Falcon, it is "I".
- 6 Choose Stud "I" from the five different studs available. "I" is clearly engraved in the stud.
- 7 In the fourth column is a number. In the case of the Ford Falcon it is number 3. On Flange Plate Number 2 there are also five circular markings. Now push and twist five studs marked "I" into the five holes. The Flange Plate is now set up correctly and will give you perfect balancing results.

FORD	1	2	3	5	7
Fairmont/Fairlane/Falcon	5,114x3	3	I	3	

Flange Plate Adapter

- »# 1« 241e 801 409
- »# 2« 251e 701 409
- »# 3« 251e 901 409
- »# 4« 251e 801 409

Studs

- »I« 271 994 117
- »II« 271 804 118
- »III« 271 904 119
- »IV« 271 804 120
- »V« 271 994 121

HOW TO USE THE FLANGE PLATE ADAPTORS CORRECTLY




FOR DIFFERENT TYPES OF WHEEL CENTERING SEE OVER.



DIFFERENT TYPES OF WHEEL CENTERING

CORRECT MOUNTING OF 4WD WHEELS



Standard 4x4 Adaptors

STANDARD 4x4 MOUNTING

Use the alloy distance ring from rear with 4WD cone.

4WD MOUNTING KIT (consisting of alloy distance ring & 4WD cone).

Included in the HOZA kits

40mm Hofmann, Beissbarth, JBC, New Mondolfo, Haweka conversions.

38mm Corghi, Faip Sice

36mm Cemb

28mm Eagle, Balco, Coats, Mondolfo, Sun

CORRECT MOUNTING OF HUB (CENTRE BORE) LOCATED WHEELS




DUO EXPERT CENTERING SYSTEM

Special spring and Duo Expert collet from the rear.

DUO EXPERT KIT INCLUDES 2 COLLETS WITH A RANGE OF 54mm-75mm.

Part Number: 164 *XX0 500



Types of vehicles

ACURA

	Pitch Circle Diameter in mm	Flange Plate Adaptor No.	BoK (stud) No.	Pitch Circle Diameter No.	
Integra	4x100	1	III		3
Legend/Ascot/Odessey (AUS)	4x114,3	1	III		6
Shuttle/NSX/CRV/Odessey(USA)/Legend ('86-'91)	5x114,3	3	III		3
SLX	6x139,7	4	II		7

ALFA ROMEO

147/145/146/155/164 TS, STS/Spider (-6/'92)	4x98	1	I		2
GT/33/164/GTV/Spider ('96-)/156	5x98	2	I		1
75/Spider (7/'92-)	4x108	1	I		5
166	5x108	2	I		2
159/Brera	5x110	2	1		3

AMERICAN MOTORS

Grand Wagoneer/Jeep CJ	5x139,7	3	II		7
------------------------	---------	---	----	--	---

ASTON MARTIN

DB9	5x114,3	3	II		3
Lagonda/Virage/DB7	5x120,65	2	I		5
Vantage / Volante/	5x154,95	2	I		7
V 12 Vanquish	5x108	2	I		2

AUDI

90 ('92-)/Fox/4000S (80-84)	4x100	1	III		3
A 3/TT/S3/A2	5x100	3	III		1
4000S/5000S/80 (-'91)/90 (-'91)/100 (-'91)	4x108	1	III		5
Allroad/200/80 ('92-'94)/100 ('92-'94)	5x112	3	III		2
A 4/Cabriolet/A 6/A 8/S4/S6/C5/S8	5x112	3	III		2
Q7/Avant RS 2	5x130	3	III		6

BENTLEY


Continental GT /Amage Red Label/Amage	5x120	3	I		4
All models	5x154,95	2	I		7

BMW

Z 1/Mini/Mini Cooper / 315-325 Serie (-'92)/	4x100	1	III		3
1, 3, 5, 6, 7, 8 Serie/3 Coupé/Z 3/Z4/X3/X5/Z8	5x120	3	II		4

BUICK

Sommerset/Century Coupe/Le Sabre ('85-'88)	5x100	3	I		1
Electra FWD/Park Avenue ('84-)	5x115	2	I		4
Regal/T-Type/Riviera ('89-)/Reatta	5x115	2	I		4
Apollo/Regal/Century (-'81)/Grand Sport	5x120,65	2	I		5
LeSabre/Electra/Limited	5x120,65	2	I		5



Types of vehicles

BUICK continued

Skylark ('67-'79)/Grand National ('85-'88)	5x120,65	2	I		5
Electra/LeSabre ('61-'87)/Roadmaster	5x127	2	I		5

CADILLAC


Cimaron	5x100	3	I		1
Cetera	5x110	2	I		3
Allante/DeVilve/Fleetwood	5x115	2	I		4
Eldorado (-'86)/Seville ('86-)	5x115	2	I		4
Eldorado (-'85)/Seville ('75-'76)+('80-'85)	5x120,65	2	I		5
Calais/Escalade/Seville ('77-'79)	5x127	2	II		6
Fleetwood Broughman	5x127	2	I		6

CHEVROLET/GEO

Spectrum/Nova ('85-'87)/Prizm/Storm/Chevette	4x100	1	I		3
Beretta/Celebrity/Corsica/Citation/Cavalier/Lumina	5x100	3	I		1
Monza ('75-'81)/Vega	4x101,6	1	I		4
Metro/Sprint ('85-'87)	4x114,3	1	I		6
Celebrity ('84-'90)/Lumina APV/TransSport	5x115	2	I		4
Bel Air/Biscayne/Caprice/Camaro/Malibu	5x120,65	2	I		5
Corvette/El Camino/Caballero/Impala	5x120,65	2	I		5
Monte Carlo/S-10/S-15/Blazer 4WD ('93-)	5x120,65	2	I		5
Chevelle/Laguna	5x120,65	2	I		5
Bel Air HD/Impala HD/Caprice HD	5x127	3	I		5
Tahoe/G-10/G-1500/E-10/Astro/C-1500	5x127	3	II		5
Tracker	5x139,7	3	II		7
K-1500/Tahoe 4Wd/C,K-2500/Blazer ('92-)	6x139,7	4	II		7
C/K-3500	8x165,1	4	II		8

CHRYSLER

LeBaron (14")/Laser(14")/NewYorker('81-'85)	4x100	1	I		3
PT Cruiser/LeBaron (15")/Laser (15")/Daytona	5x100	3	I		1
Voyager/Saratoga/Stratus/NewYorker ('86-'91)	5x100	3	I		1
TC/Sebring Convertible/Cirrus/Imperial ('90-'91)	5x100	3	I		1
Crossfire	5x112	3	I		2
300c	5x115	2	I		4
Grand Voyager/Cherokee V8/Vision/NewYorker	5x114,3	3	I		3
Sebring/ Cordoba/Town&Country/Mirada	5x114,3	3	I		3
Viper	6x114,3	4	V		3
Imperial/Cherokee V8	5x127	3	I		5



Types of vehicles

CITROËN

	Pitch Circle Diameter in mm	Flange Plate Adaptor No.	Box (stud) No.	Pitch Circle Diameter No.
Evasion/CX	5x98	2	I	1
Berlingo /C2/C3/C4/C5/Xantia/Xsara/Visa	4x108	1	I	5
C6	5x108	2	I	2

DAEWOO

Espero/Cielo/Racer/Lanos/Nubira/1500/Kalos	4x100	1	I	3
Matiz	4x114,3	1	I	6
Leganza	5x114,3	3	I	3

DAIHATSU

Applause/Charade/Move/Sirion/Pyzar/YRV/Move	4x100	1	I	3
Charmant	4x114,3	1	I	6
Terios/YRV-Turbo (-02)	5x114,3	3	I	3
Wildcat/Rocky/Feroza/Fourtrak	5x139,7	3	II	7

DODGE


Aires ('81-'85)/Daytona/Neon/Omni/400	4x100	1	I	3
Caravan (14")/Charger/Lancer/024	4x100	1	I	3
Stratus/Neon/Dynasty/Spirit/Rampage/600	5x100	3	I	1
Aries ('86-'88)/Charger ('85-'87)/Shadow	5x100	3	I	1
Caravan (15")/Daytona Turbo/Lancer Turbo	5x100	3	I	1
Monaco ('90-'91)	5x108	2	I	2
Challenger/Charger/Coronet/Monaco	4x114,3	1	I	6
Magnum/Polara/St. Regis/Cold (-'91)	4x114,3	1	I	6
Caliber/Avenger/Coronet/Magnum/Viper	5x114,3	3	I	3
Nitro/Dart/Demon/Swinger/Polara/Stealth	5x114,3	3	I	3
Dakota ('87-'91)/B100/B150/B250/D100	5x114,3	3	II	3
Caravan AWD/Grand Caravan/Diplomat	5x114,3	3	I	3
Intrepid/Mirada/Monaco ('71-'85)/	5x114,3	3	I	3
Dakota/Durango	6x114,3	4	II	3
Ram 1500/Ramcharger	5x139,7	3	II	7
D50/Ram 50/Raider	6x139,7	4	II	7
D200/D250/P200/W250/D300/D350/W300	8x165,1	4	II	4

EAGLE

Medallion/Summit ('93-)	4x100	1	I	3
Premier	5x108	2	I	2
Summit ('86-'92)	4x114,3	1	I	6
Talon/Vision	5x114,3	3	I	3

FERRARI

F430 / 599 GTB / 575M/ 612	5x108	2	I	2
----------------------------	-------	---	---	---



Types of vehicles

FIAT

	Pitch Circle Diameter in mm	Flange Plate Adaptor No.	Box (stud) No.	Pitch Circle Diameter No.
124/126/128/131/Panda/Croma/Regata/Marea	4x98	1	I	2
Punto / Tempra/Cinquecento/Ritmo/Tipo/Uno	4x98	1	I	2
Abarth/Bravo/Barchetta/Coupé/Seicento/X19	4x98	1	I	2
Palio/Scudo/Multipla/Stilo/Doblo/Fiorino/Strada	4x98	1	I	2
Ulysse	5x98	2	I	1
Ducato Maxi	5x130	3	II	5

FORD


Escort ('91-)/Aspire/Lazer	4x100	1	I	3
Mustang (-'93)/Taurus/EXP/Courier/Tempo/	4x108	1	I	5
Scorpio ('95-)/Mondeo/Escort (-'90)/Sierra	4x108	1	I	5
Fiesta/ Granada/Taurus (14")	4x108	1	I	5
Thunderbird ('80-'89)/Cougar/Puma/Ka	4x108	1	I	5
Focus/Thunderbird ('90-)/Windstar	5x108	2	I	2
Granada/Scorpio (-'94)/Windstar/Galaxy	5x112	3	I	2
Econovan/Festiva	4x114,3	1	I	6
Probe/Crown Victoria/Custom/Explorer/F100	5x114,3	3	I	3
F100/Bronco/Ranger	5x114,3	3	I	3
Fairmont/Fairlane/Falcon / Territory / Escape	5x114,3	3	I	3
F150 ('97-)/Expedition	5x135	4	II	6
Bronco 4WD/F150 (-'96)/Club Wagon	5x139,7	3	II	7
Courier/Raider/Maverick	6x139,7	4	II	7
Maverick/F250 (-'97)/F350 (-'97)	8x165,1	4	II	8
F250 ('98-)	7x150	1	II	7

GMC

Jimmy/S-15/Sonoma/Envoy	5x120,65	2	I	5
C-1500/Yukon/Safari/Suburban/Denali	5x127	3	II	5
CK-1500/CK-2500/Savana 2500	6x139,7	4	II	7
CK-3500/Savana 3500	8x165,1	4	II	8

HOLDEN

Barina/Camera/Calibra/Nova/Zafira	4x100	1	I	3
Tigra / Combo / Cruze	4x100	1	I	3
Viva	4x114,3	1	I	6
Astra / Vectra	5x110	2	I	3
Commodore/Statesman/Caprice/HSV / Crewman	5x120	3	I	4
Captiva	5x115	2	II	4
Colorado/Frontera/Rodeo/Jackaroo	6x139,7	4	II	7



Types of vehicles

HONDA

	Pitch Circle Diameter In mm	Flange Plate Adaptor No.	Bolt (stud) No.	Pitchcircle Diameter No.
Jazz /Prelude ('79-'91)/Quintet/Accord ('82-'89)	4x100	1	I	3
City/Aero Deck/Integra/Del Sol	4x100	1	I	3
CRX/Civic/EV Plus	4x100	1	I	3
Accord ('90-)/Prelude ('92-'96)/Accord Typ R	4x114,3	1	I	6
Civic /Ascot/Odessey (AUS)/Civic VTI	4x114,3	1	I	6
Legend/CRV/S2000/Odessey /Integra	5x114,3	3	I	3
Accord / Accord Euro/ Prelude ('96-)/('98-)/CRV	5x114,3	3	I	3
MDX	5x120	3	II	4

HYUNDAI

i20/Getz/ Accent	4x100	1	I	3
Elantra/Lantra /Excel/Tiburon/Matrix	4x114,3	1	I	6
Sonata/Tuscon/Trajat/Santa-Fe/i30/i40/i45	5x114,3	3	I	3
Terracan	6x139,7	4	II	7

HUMMER

H1/H2	8x165,1	4	II	8
H3	6x139,7	4	II	7

ISUZU

Stylus/Impulse/I-Mark Passenger Car	4x100	1	I	3
Oasis	5x114,3	3	III	3
Hombre	5x120,65	2	II	5
Rodeo/D-Max/Trooper	6x139,7	4	II	7
Combi Van	6x139,7	4	II	7

JEEP


Wrangler/Cherokee ('84-)/Patriot/Compass	5x114,3	3	I	3
Grand Cherokee/Commander	5x127	3	II	5
CJ/Scrambler/Jepster	5x139,7	3	II	7
Cherokee ('79-'83)/Grand Wagoneer	6x139,7	4	II	7

JAGUAR

S/X-Type	5x108	2	I	2
XJ / XK/XF	5x120,65	2	I	5

KIA

Rio/Shuma	4x100	1	I	3
Cerato/Optima/Pride/Credos	4x114,3	1	I	6
Sorento/Rocsta/Sportage (93-09)	5x139,7	3	II	7
Carnival/Sportage (10-13)	5x114,3	3	I	3



Types of vehicles

LADA

	Pitch Circle Diameter In mm	Flange Plate Adaptor No.	Bolt (stud) No.	Pitchcircle Diameter No.
Niva	5x139,7	3	II	7
Samara/VAZ/Forma/2105/2107/2110	4x98	1	I	2
Alegro	4x108	1	I	5

LAMBORGHINI

Countach/Diablo/Miura	5x120	3	I	4
-----------------------	-------	---	---	---

LANCIA

Prisma/Y 10/A 112/Beta/Delta/Elf Rosso/Lybra	4x98	1	I	2
Dedra/Thema/Trevi/Ypsilon	4x98	1	I	2
Evoluzine/Zeta/Phedra	5x98	2	I	1
Kappa/Gamma/Thesis	5x108	2	I	2

LAND ROVER

Freelander (98-)	5x114,3	3	II	3
Land Rover/Discovery I/Range Rover I/Defender	5x165,1	3	IV	6
Range Rover II/Discovery 2,3,4	5x120	3	IV	4
Range Rover Sport	5x120	3	IV	4

LOTUS

Elise/Esprit (-'81)/Esprit II, III (-'84)	4x100	1	I	3
Eclat/Excel/Elite	4x114,3	1	I	6
Esprit ('81-)/Esprit II, III ('84-)/Turbo ('81-)	5x120	3	I	4

MASERATI


GranSport	5x108	2	I	2
Quattroporte/Coupe/Ghibli	5x120,65	2	I	5

MAZDA

323 ('90-)/MX 3/MX 5/121/Protege/	4x100	1	I	3
2	4x108	1	I	5
121 DA/323 ('86-'89)/626 ('83-'87)	4x114,3	1	I	6
RX7 ('84-'86)/GLC ('82-'85)	4x114,3	1	I	6
3/6/MX-5(06-)/RX-8/626 ('88-)/929/MX 6	5x114,3	3	I	3
Xedos/RX 7 ('87-)/MPV/Premacy/Tribute/6	5x114,3	3	I	3
B2300/B3000/B4000/Eunos 500, 800	5x114,3	3	I	3
B2500/B2600/Bravo	6x139,7	4	II	7

MERCEDES BENZ

C,E,S,M,R-Class/SLK/CLS/CLK/CL/Viano	5x112	3	III	2
G/Sprinter/LLKW Series 200, 300	5x130	3	III	6



Type of vehicles

MERCURY


Type of vehicles	Flange Plate Adaptor No.	Flange Plate Diameter in mm	Pitch Circle Diameter in mm	Flange Plate Adaptor No.	Flange Plate Diameter in mm	Pitch Circle Diameter in mm
Tracer ('91-)	4x100	1	I	3		
Bobcat/ Capri ('71-'90)/Cougar ('80-'88)/Lynx	4x108	1	I	5		
Mystique/Marquis/Montego/Zephyr/Z7/Topas	4x108	1	I	5		
Monarch ('79-'88)/Mercur	4x108	1	I	5		
Cougar ('89-)/Sable	5x108	2	I	2		
Scorpio	5x112	3	I	3		
Capri ('91-'93)/Tracer ('88-'90)	4x114,3	1	I	6		
Comet/Park Lane/Villager/Mountaineer	5x114,3	3	I	3		
Grand Marquis/Marauder/Meteor	5x114,3	3	I	3		
Montclair ('79-'88)/Cyclone ('79-'87)	5x114,3	3	I	3		
Mountaineer	5x114,3	3	II	3		

MITSUBISHI

Colt ('92-)/Lancer/Mirage ('93-)	4x100	1	I	3		
Tredia/Sapporo/Cordia/Starion/Carisma	4x114,3	1	I	6		
Colt ('88-'92)/Space Wagon/Galant/Space Star	4x114,3	1	I	6		
Lancer('91)/Space Runner/GLXi Allrad	4x114,3	1	I	6		
Nimbus/Cordia/Mirage ('82-'92)	4x114,3	1	I	6		
380/Outlander/L 300/Eclipse/3000/Diamante	5x114,3	3	I	3		
Grandis/Magna/Verada	5x114,3	3	I	3		
Pajero/L 200/L 300 Allrad/Montero	6x139,7	4	II	7		
Challenger	6x139,7	4	II	7		

NISSAN/DATSUN

Tiida/100NX/Pulsar ('87-'90)/Micra/Sunny	4x100	1	I	3		
NX2000/Almera/Sentra ('87-)/200SX ('95-)	4x100	1	I	3		
280ZX/Cherry/Violet/Vanette/Largo/Altima	4x114,3	1	I	6		
Bluebird/Laurel/Stanza/Silvia/Skyline	4x114,3	1	I	6		
200SX ('77-'87)/240SX ('89-'94)/Primera	4x114,3	1	I	6		
Prairie/B210/240Z/260Z/280Z/280ZX/300ZX	4x114,3	1	I	6		
Axxess/Maxima ('79-'88)/Pulsar ('79-'86)	4x114,3	1	I	6		
Pathfinder/Navara 06-	6x114,3	4	II	1		
X-Trail/Serena/Cedric/300ZX Turbo/200SX	5x114,3	3	I	3		
350Z/Maxima ('89-)/Murano/Skyline/240SX ('95-)	5x114,3	3	I	3		
Patrol/Navara/Safari/Frontier	6x139,7	4	II	7		
Terrano/Pathfinder	6x139,7	4	II	7		



Type of vehicles

OLDSMOBILE

Achieva/Calais/Firenza/Omega ('80-'86)	5x100	3	I	1		
Cutless Sierra (13")/Skyhawk	5x100	3	I	1		
Starfire	4x101,6	1	I	4		
Cutless Cierra/Cutless Supreme ('88-)/Trofeo	5x115	2	I	4		
Tornado ('86-'91)/Silhouette/Regency/Delta	5x115	2	I	4		
Aurora/98 ('89-)/Intrigue/Royale/88 ('89-)	5x115	2	I	4		
Cutless Supreme ('82-'87)/Tornado ('79-'85)	5x120,65	2	I	5		
442/Bravada	5x120,65	2	I	5		
Tornado FWD/88/98 ('87)	5x127	3	I	5		

OPEL/VAUXHALL/DELTA


Astra/Kadett/Corsa/Calibra/Vectra/Ascona	4x100	1	I	3		
Tigra/Combo/Zafira	4x100	1	I	3		
Omega/Senator/Calibra A/Vectra/Speedster	5x110	2	I	3		
Sintra	5x115	2	I	4		
Monza/Senator/Commodore	5x120	3	I	4		
Trans-Sport	5x120,65	2	I	5		
Bedford KTS/Monterey/Campo	6x139,7	4	II	7		

PEUGEOT

806/Expert/807	5x98	2	I	1		
206/307/305/306/309/405/306/505	4x108	1	I	5		
407/607/605	5x108	2	I	2		

PLYMOUTH

Tourismo/Horizon/TC3/Reliant/Neon	4x100	1	I	3		
Voyager ('83-'85)	4x100	1	I	3		
Tourismo/Caravelle/Sundance/Reliant	5x100	3	I	1		
Voyager 4Cyl. ('96-)/Acclaim/Breeze/Neon	5x100	3	I	1		
Cricket	4x108	1	I	5		
Sapporo/Champ/Colt/Arrow ('76-'82)	4x114,3	1	I	6		
Laser/Belvedere/Fury/Grand Fury	5x114,3	3	I	3		
RoadRunner/Satelite/Savoy/Barracuda	5x114,3	3	I	3		
Barracuda/Duster/Scamp/Valiant/Voyager	5x114,3	3	I	3		
Duster/Scamp/Valiant	5x127	3	I	5		



Type of vehi

PONTIAC

Type of vehi	Pitch Circle Diameter in mm	Flange Plate Adaptor No.	Boil (stud) No.	Pitch Circle Diameter No.	
1000/Le Mans ('88-'92)	4x100	1	I		3
6000/J2000/Phoenix ('82-'84)/Sunfire	5x100	3	I		1
Grand Am ('85-'96)/Fiero/Sunbird	5x100	3	I		1
Astre/Sunbird	4x101,6	1	I		4
TransSport/GrandPrix ('88-)/Bonneville ('86-)	5x115	2	I		4
6000/8000/Grand AM ('97-)/Aztek	5x115	2	I		4
Trans Am/Grand Am ('81)/GrandPrix ('87)	5x120,65	2	I		5
GTO/Firebird/Le Mans ('81)/Catalina	5x120,65	2	I		5
Tempest/Ventura/Bonneville ('85)/Phoenix	5x120,65	2	I		5
Bonneville/Catalina/Parisienne	5x127	3	I		5

PORSCHE

All models ('73-)/Cayenne	5x130	3	III		6
924	4x108	1	III		5

PROTON

Savy/Gen-2/Jumbuck/Satria/Persona/Wira/M21	4x100	1	I		3
--	-------	---	---	--	---

RENAULT


Laguna/Scenic/R 9/R 11/R 19/R 21/R 25/Alpine	4x100	1	I		3
Clio/Mégane	4x100	1	I		3
Kangoo/Spider/Megane II	4x100	1	I		3
Encore/Fuego/Alliance	4x100	1	I		3
Scenic RX4/Laguna	5x108	2	I		2

ROLLS ROYCE

All models ('97-)	5x120	3	III		4
Silver Cloud/Phantom	5x139,7	3	I		7
All models ('96)	5x154,95	2	I		7

ROVER/LEYLAND/MG

Maestro/Montego/T. Acclaim/100/MGF	4x95,25	1	I		1
114/214/220/416/420/TR 6,7	4x95,25	1	I		1
200/400 Concerto	4x100	1	I		3
Mini/Metro	4x101,6	1	I		4
Metro TD/PTA	4x108	1	I		5
Maestro Van/600/800	4x114,3	1	I		6
Range Rover ('00+)	5x120	3	IV		4
Freelander	5x114,3	3	II		3
2600/3500	5x127	3	I		5
Land Rover/Discovery/Range Rover ('99)	5x165,1	3	IV		6



Type of vehicles

SAAB

9-2X/9000/900 ('88-'92)	4x108	1	I		5
9-3/9-5/900 ('93-'98)	5x110	2	I		3
99 ('87)/900 ('87)	4x114,3	1	I		6

SATURN

All models	4x100	1	I		3
------------	-------	---	---	--	---

SEAT

Ibiza ('93)/Malaga/Marbella/Ronda/Terra	4x98	1	I		2
Toledo/Ibiza ('93-)/Cordoba ('93-)/Inca/Arosa	4x100	1	III		3
Toledo 2.0	5x100	3	III		1
Alhambra	5x112	3	III		2

SKODA

Favorit/Forman/Pick-Up (-7/'93)	4x98	1	I		2
Felicia/Favorit/Forman/Pick-Up (8/'93-)	4x100	1	III		3
Octavia	5x100	3	III		1

SMART

All models	3x112	4	III		2
------------	-------	---	-----	--	---

SUBARU


Libero/Justy ('90-'95)	4x100	1	I		3
Legacy/Impreza/Forester/XT6/Outback/Liberty	5x100	3	I		1
SVX/Streega	5x114,3	3	I		3
Justy (11/'95-)	4x114,3	1	I		6

SSANG YONG


Rexton/Musso/Korando	6x139,7	4	II		7
Kyron/Stavic	5x130	3	I		6

SUZUKI

Baleno/Liana/Wagon RX/Esteem	4x100	1	I		3
Swift/Alto/Carry/Cino	4x114,3	1	I		6
Grand Vitara/Vitara/Jimny/SJ Samurai/X-90	5x139,7	3	II		7
Grand Vitara (06-)	5x114,3	3	II		3



Type of vehicles



TOYOTA/LEXUS

Type of vehicles	Flange Plate Diameter in mm	Bolt (stud) No.	Pitch Circle Diameter No.	Flange Plate Adaptor No.
Yaris/Paseo/Carina (-3/'92)/Celica ('86-'91)	4x100	1	I	3
Corolla/Starlet/Tercel ('84-)/MR ('85-'90)	4x100	1	I	3
Celica ('92-)/Carina (4/'92-)/Camry ('86-'91)	5x100	3	I	1
Avenis/Lexus ES 250 ('90-'91)/MR2	5x100	3	I	1
Celica GT ('86-'91)	5x100	3	I	1
Carina/Crown/Supra/Van/Tercel ('79-'83)	4x114,3	1	I	6
Cressida ('78-'88)/Corona ('71-'81)/Starlet	4x114,3	1	I	6
Corolla ('79-'91)/Supra ('79-'85)	4x114,3	1	I	6
Lexus LS 400/ES 300/GS 300/SC 300/SC 400	5x114,3	3	I	3
Tarago/Prius/Tacoma/Avalon/Cressida ('89-'92)	5x114,3	3	I	3
RAV 4/Kluger/LiteAce/HiAce/Dyna 100/Sienna	5x114,3	3	I	3
Camry ('92-)/Supra ('86-)/Previa/MR2 Turbo	5x114,3	3	I	3
Landcruiser 100 series ('98-)/Troop Carrier (00+)	5x150	3	II	8
HiLux Surf/Landcruiser ('92-'97)/4Runner/Prado	6x139,7	4	II	7
Tacoma 4WD/HiLux 4WD/Pickup 2WD	6x139,7	4	II	7

VOLKSWAGEN

Polo/Golf(99)/Dasher/Derby/Scirocco/Lupo	4x100	1	III	3
Jetta/Vento/Caddy/Santana/Corrado ('89-'92)	4x100	1	III	3
Passat ('90-'97)/Rabbit/Quantum	4x100	1	III	3
Polo(11/05-)/Jetta/Vento VR 6/Golf IV ('92-)	5x100	3	III	1
Passat VR 6/Jetta VR 6/New Beetle	5x100	3	III	1
T 2/T 3/Caravelle ('90)/EuroVan/Vanagon	5x112	3	III	2
Golf V/Passat('98-)	5x112	3	III	2
Taro	5x114,3	3	III	3
Toureg 17"-19"/LLKW LT 35 (9/'96-)	5x130	3	III	6
Taro 4x4	6x139,7	4	II	7
Touareg 16"/T5	5x120	3	III	4

VOLVO

300/400	4x100	1	I	3
200/700/900/850 ('94-)/S60/S80	5x108	2	I	2
S40/V50/XC 70/S 70/V 70/XC 90/V 90	5x108	2	I	2
850 ('92-'93)	4x108	1	I	5
S 40(-12/'03)/V 40	4x114,3	1	I	6

YUGO

All Models	4x98	1	I	2
------------	------	---	---	----------

This application chart is intended as a guide only. Always check with the manufacturers hand book.

The above information was compiled according to the latest information/specifications in our possession. HAWEKA will not be held responsible for misprints or the consequences thereof.



PO Box 2090
MALAGA 6944, WESTERN AUSTRALIA
Tel: (08) 9249 4799
Fax: (08) 9249 4776
email: info@haweke.com.au
webpage: www.haweke.com.au